

**FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN KEJADIAN
DIARE PADA BALITA DI DESA LIMBANGAN WILAYAH KERJA
PUSKESMAS LIMBANGAN KABUPATEN KENDAL TAHUN 2016**

FIRDA ZULVYANI ROSALIA

(Pembimbing : Suharyo, SKM, M.Kes)

*Kesehatan Masyarakat - S1, FKes, Universitas Dian
Nuswantoro*

www.dinus.ac.id

Email : 411201201443@mhs.dinus.ac.id

ABSTRAK

Diare masih menjadi salah satu masalah kesehatan masyarakat yang penting karena merupakan penyumbang utama angkat kesakitan dan kematian anak di berbagai negara termasuk Indonesia. Hasil Data Dinas Kabupaten Kendal tahun 2014, kasus diare masuk dalam kategori luar biasa (KLB) dengan jumlah penanganan 22.383 penderita. Pada tahun 2014 di Puskesmas Limbangan tercatat sebesar 259 kasus. Penelitian ini bertujuan untuk menganalisis faktor-faktor yang berhubungan dengan kejadian diare pada balita di Desa Limbangan Kabupaten Kendal Tahun 2016.

Jenis penelitian analitik observasional dengan pendekatan case control. Jumlah ibu balita 30 sebagai kasus dan 30 sebagai kontrol. Sampel pada kelompok kasus dilakukan dengan metode random sampling, sedangkan pada kelompok kontrol dengan metode accidental sampling dengan teknik pengambilan data menggunakan kuesioner dan observasi untuk melihat kondisi karakteristik fisik air minum, praktik mencuci tangan dan praktik penyimpanan makanan.

Hasil penelitian ini menunjukkan bahwa ada hubungan pada praktik kebersihan ibu dengan nilai p value = 0,01 OR = 4. Tidak ada hubungan ASI Eksklusif dengan nilai p value = 0,121 OR = 2,259. Ada hubungan karakteristik fisik air minum dengan nilai p value = 0,038 OR = 3. Ada hubungan penyimpanan makanan dengan nilai p value = 0,037 OR = 3,051.

Simpulan dari penelitian ini adalah faktor yang berhubungan dengan kejadian diare di Desa Limbangan Wilayah Kerja Puskesmas Limbangan adalah praktik kebersihan ibu, pemberian ASI Eksklusif, karakteristik fisik air minum, dan penyimpanan makanan. Disarankan bagi ibu yang memiliki bayi berusia 0-24 bulan harus memberi ASI Eksklusif, ibu yang mempunyai balita harus menyimpan makanannya dengan cara tertutup dan terhindar dari pencemaran.

Kata Kunci : Kata Kunci : Diare, Balita, Desa Limbangan

**FACTORS RELATED TO OCCURRENCE OF DIARRHEA IN CHILDREN
IN THE VILLAGE OF PUBLIC HEALTH WORK AREA LIMBANGAN
KENDAL REGENCY YEAR 2016**

FIRDA ZULVYANI ROSALIA

(Lecturer : Suharyo, SKM, M.Kes)

*Bachelor of Public Health - S1, Faculty of Health Science,
DINUS University*

www.dinus.ac.id

Email : 411201201443@mhs.dinus.ac.id

ABSTRACT

Diarrhoea remains one of the important public health problem because it is a major contributor to morbidity and mortality of children adopted in various countries including Indonesia. Results Data of District 2014 Kendal, cases of diarrhea in the category of extraordinary (KLB) with the amount of handling 22 383 patients. In 2014 in Limbangan health centers totaled 259 cases. This study aimed to analyze the factors related to the occurrence of diarrhea in infants in the village Limbangan of Kendal 2016.

Type analytic observational research with case control approach. 30 Number of mothers as cases and 30 as a control. Samples in the case group was conducted using random sampling, whereas in the control group with accidental sampling method with data retrieval technique using questionnaires and observation to see the condition of the physical characteristics of drinking water, the practice of hand washing and food storage practices.

The results of this study indicate that there is a link on cleanliness parktik mother with p value = 0.01 OR = 4. There is no exclusive breastfeeding relationship with p value = 0.121 OR = 2.259. There is a relationship of physical characteristics of water with p value = 0.038 OR = 3. There is a relationship of food storage with p value = 0,037 OR = 3,051.

The conclusions of this study are factors related to the incidence of diarrhea in the village Puskesmas Limbangan Limbangan is the mother hygiene practices, exclusive breastfeeding, physical characteristics of drinking water and food storage. Suggested for mothers with babies aged 0-24 months should give exclusive breastfeeding, mothers with toddlers should store food in any way covered and protected from contamination.

Keyword : Keywords : Diarrhea, Toddlers, Village Limbangan